ELSEVIER

Wear 185 (1995) 239

WEAR

Author Index of Volume 185

Alahelisten, A., 213
Anderson, I.A., 23

Bai, M., 197
Bandyopadhyay, S., 125
Bantle, R., 151
Bransden, A.S., 59

Carton, J.-F., 47
Celis, J.P., 93
Chen, Y.K., 1
Chen, Y.-M., 83
Chen, Y.N., 131
Collins, I.F., 23

Dally, J.W., 83
De Bonte, M., 93
Ding, Y., 141

Economou, S., 93

Fang, H.-S., 17
Fellows, L.J., 235
Fouvry, S., 35

Gerardi, D.T., 111
Goto, K., 75

Hamblin, M.G., 225
Harris, S.J., 203
Hashimoto, H., 183
Hensler, J.H., 119
Hills, D.A., 235
Hokkirigawa, K., 9
Hooke, C.J., 1

Ivanyk, E., 159
Ives, L.K., 83

James Li, C., 67
Jiang, Z.-L., 17
Jones, R., 141

Kapsa, Ph., 35
Kitsunai, H., 9
Krauklis, P., 125
Kuhnell, B., 141
Kukureka, S.N., 1

Lei, T.C., 167
Li, S.Y., 67
Liao, P., 1
Lin, J.F., 131
Liu, W., 197
Lugscheider, E., 93

Malkin, S., 173
Manory, R.R., 119
Matthews, A., 151
McColl, I.R., 203
Mouritz, A.P., 125
Moustafa, S.F., 189

Nakayama, K., 183
Nowell, D., 235

Ouyang, J.H., 167

Pei, Y.T., 167
Puthanangady, T.K., 173

Roos, J.R., 93
Rosado, L., 111

Smith, R.W., 93
Song, W.Q., 125
Stachowiak, G.W., 225

Terheci, M., 119
Tomlinson, W.J., 59
Trivedi, H.K., 111
Tsujikawa, M., 203

Valencic, A., 93
Vannes, A.-B., 47
Vincent, L., 35, 47
Voevodin, A.A., 151

Wan, Y., 197
Wang, X., 197
Waterhouse, R.B., 203

Xue, Q., 197

Yang, Y.-Y., 17
Yang, Z.-G., 17
Yevtushenko, A., 159

Zheng, Y.-K., 17
Zhou, Y., 167

Elsevier Science S.A.

ELSEVIER

Wear 185 (1995) 241–243

WEAR

Subject Index of Volume 185

Abrasion
experimental investigation of the superfinishing process, 173
abrasion of hot flame-deposited diamond coatings, 213
Abrasive wear
the effect of thermal ageing on the abrasive wear behaviour of age-hardening 2014 Al/SiC and 6061 Al/SiC composites, 125
a multi-scale measure of particle abrasivity, 225
Abrasivity
a multi-scale measure of particle abrasivity, 225
Acetal
the wear mechanisms of acetal in unlubricated rolling–sliding contact, 1
Acoustic emissions
acoustic emission analysis for bearing condition monitoring, 67
Adhesion
the friction and wear of automotive grey cast iron under dry sliding conditions. Part 2. Friction and wear—particle generation mechanisms and their progress with time, 119
Age hardening
the effect of thermal ageing on the abrasive wear behaviour of age-hardening 2014 Al/SiC and 6061 Al/SiC composites, 125
Al–22%Si alloy
wear and wear mechanisms of Al–22%Si/Al_2O_{3f} composite, 189
Alloying
cavitation erosion of laser surface alloyed coatings on Al–12%Si, 59
Alumina fibers
wear and wear mechanisms of Al–22%Si/Al_2O_{3f} composite, 189
Aluminium
cavitation erosion of laser surface alloyed coatings on Al–12%Si, 59
the effect of thermal ageing on the abrasive wear behaviour of age-hardening 2014 Al/SiC and 6061 Al/SiC composites, 125
wear mechanism of SiC whisker-reinforced 2024 aluminum alloy matrix composites in oscillating sliding wear tests, 197

Bearing
acoustic emission analysis for bearing condition monitoring, 67
Boundary Lubrication
evaluation of fatigue and wear characteristics of M50 steel using synthetic ester turbine engine lubricants—Part 1, 111
Brake elements
determination of heat and thermal distortion in braking systems, 159

Carbide reinforced coatings
tribological behavior of TiC/TaC-reinforced cermet plasma sprayed coatings tested against sapphire, 93
Cavitation
cavitation erosion of laser surface alloyed coatings on Al–12%Si, 59

Ceramics
the relationship between the change in stress intensity factor and wear rate at elevated temperatures for ceramics, 131
triboemission of charged particles and photons from wearing ceramic surfaces in various hydrocarbon gases, 183
Charged particle
triboemission of charged particles and photons from wearing ceramic surfaces in various hydrocarbon gases, 183
Coatings
basis of a coating choice methodology in fretting, 47
tribological behaviour of laser-clad TiC_p composite coating, 167
Composites
the effect of thermal ageing on the abrasive wear behaviour of age-hardening 2014 Al/SiC and 6061 Al/SiC composites, 125
tribological behaviour of laser-clad TiC_p composite coating, 167
Contact mechanics
plane strain stress distributions in discrete and blended coated solids under normal and sliding contact, 23
Contact spot
determination of heat and thermal distortion in braking systems, 159
Contact stress
contact stresses in a moderately thin strip (with particular reference to fretting experiments), 235
Copper
numerical simulation of sliding contact over a half-plane, 83
Crack
the friction and wear of automotive grey cast iron under dry sliding conditions. Part 2. Friction and wear—particle generation mechanisms and their progress with time, 119
Crest
the friction and wear of automotive grey cast iron under dry sliding conditions. Part 2. Friction and wear—particle generation mechanisms and their progress with time, 119

Delamination
the failure models induced by white layers during impact wear, 17
the friction and wear of automotive grey cast iron under dry sliding conditions. Part 2. Friction and wear—particle generation mechanisms and their progress with time, 119
Diamond coating
abrasion of hot flame-deposited diamond coatings, 213
Diamond-like carbon
dynamic impact wear of TiC_xN_y and Ti–DLC composite coatings, 151
Dry sliding wear
tribological behavior of TiC/TaC-reinforced cermet plasma sprayed coatings tested against sapphire, 93
Dry wear
wear and wear mechanisms of Al–22%Si/Al_2O_{3f} composite, 189

Elsevier Science S.A.

Elastic–plastic deformation
numerical simulation of sliding contact over a half-plane, 83
Electrons
triboemission of charged particles and photons from wearing ceramic surfaces in various hydrocarbon gases, 183
EPIC II
numerical simulation of sliding contact over a half-plane, 83
Erosion
cavitation erosion of laser surface alloyed coatings on Al–12%Si, 59

Failure models
the failure models induced by white layers during impact wear, 17
Fatigue
abrasion of hot flame-deposited diamond coatings, 213
Finishing
experimental investigation of the superfinishing process, 173
Finite element analysis
numerical simulation of sliding contact over a half-plane, 83
Finite element modelling
plane strain stress distributions in discrete and blended coated solids under normal and sliding contact, 23
Fracture toughness
the relationship between the change in stress intensity factor and wear rate at elevated temperatures for ceramics, 131
Fretting
analysis of sliding behaviour for fretting loadings: determination of transition criteria, 35
basis of a coating choice methodology in fretting, 47
Fretting fatigue
contact stresses in a moderately thin strip (with particular reference to fretting experiments), 235
Fretting wear
lubricated fretting wear of a high-strength eutectoid steel rope wire, 203

Gears
the wear mechanisms of acetal in unlubricated rolling–sliding contact, 1
Gear teeth
numerical analysis of subsurface crack failure beneath the pitch line of a gear tooth during engagement, 141
Groove
the friction and wear of automotive grey cast iron under dry sliding conditions. Part 2. Friction and wear—particle generation mechanisms and their progress with time, 119
Gross slip
analysis of sliding behaviour for fretting loadings: determination of transition criteria, 35

High strength steel
lubricated fretting wear of a high-strength eutectoid steel rope wire, 203
Hydrocarbon gas
triboemission of charged particles and photons from wearing ceramic surfaces in various hydrocarbon gases, 183

Impact wear
the failure models induced by white layers during impact wear, 17
dynamic impact wear of TiC_xN_y and Ti–DLC composite coatings, 151
Ions
triboemission of charged particles and photons from wearing ceramic surfaces in various hydrocarbon gases, 183

Laser
cavitation erosion of laser surface alloyed coatings on Al–12%Si, 59
Layered systems
plane strain stress distributions in discrete and blended coated solids under normal and sliding contact, 23
Ligament collapse
numerical analysis of subsurface crack failure beneath the pitch line of a gear tooth during engagement, 141
Localized defects
acoustic emission analysis for bearing condition monitoring, 67
Lubrication
lubricated fretting wear of a high-strength eutectoid steel rope wire, 203

Magnetron sputtering
dynamic impact wear of TiC_xN_y and Ti–DLC composite coatings, 151
Metal matrix composite
wear and wear mechanisms of Al–22%Si/Al_2O_{3f} composite, 189
wear mechanism of SiC whisker-reinforced 2024 aluminum alloy matrix composites in oscillating sliding wear tests, 197
Microscopic observation
transitions of microscopic wear mode of silicon carbide coatings by chemical vapor deposition during repeated sliding observed in a scanning electron microscope tribosystem, 9
Monitoring
acoustic emission analysis for bearing condition monitoring, 67

Nitriding
basis of a coating choice methodology in fretting, 47

Partial slip
analysis of sliding behaviour for fretting loadings: determination of transition criteria, 35
Particles
a multi-scale measure of particle abrasivity, 225
Pattern recognition analysis
acoustic emission analysis for bearing condition monitoring, 67
Pin-on-disk testing
the influence of surface induced voltage on the wear mode of stainless steel, 75
tribological behavior of TiC/TaC-reinforced cermet plasma sprayed coatings tested against sapphire, 93
Pitting
numerical analysis of subsurface crack failure beneath the pitch line of a gear tooth during engagement, 141
Plasma spray
basis of a coating choice methodology in fretting, 47
Plasma sprayed coatings
tribological behavior of TiC/TaC-reinforced cermet plasma sprayed coatings tested against sapphire, 93
Polymers
the wear mechanisms of acetal in unlubricated rolling–sliding contact, 1

Rolling contact fatigue
evaluation of fatigue and wear characteristics of M50 steel using synthetic ester turbine engine lubricants—Part 1, 111
Rolling–sliding
the wear mechanisms of acetal in unlubricated rolling–sliding contact, 1
Rope wire
lubricated fretting wear of a high-strength eutectoid steel rope wire, 203

Scanning electron microscope
transitions of microscopic wear mode of silicon carbide coatings by chemical vapor deposition during repeated sliding observed in a scanning electron microscope tribosystem, 9
Seizure
the influence of surface induced voltage on the wear mode of stainless steel, 75
Shakedown
plane strain stress distributions in discrete and blended coated solids under normal and sliding contact, 23
Shape
a multi-scale measure of particle abrasivity, 225
Silicon carbide
the effect of thermal ageing on the abrasive wear behaviour of age-hardening 2014 Al/SiC and 6061 Al/SiC composites, 125
Silicon nitride
the relationship between the change in stress intensity factor and wear rate at elevated temperatures for ceramics, 131
Sliding transition criteria
analysis of sliding behaviour for fretting loadings: determination of transition criteria, 35
Sliding wear
numerical simulation of sliding contact over a half-plane, 83
Spalling
the failure models induced by white layers during impact wear, 17
numerical analysis of subsurface crack failure beneath the pitch line of a gear tooth during engagement, 141
Specific film thickness
evaluation of fatigue and wear characteristics of M50 steel using synthetic ester turbine engine lubricants—Part 1, 111
Specimens–fretting tests
Contact stresses in a moderately thin strip (with particular reference to fretting experiments), 235
Stainless steel
the influence of surface induced voltage on the wear mode of stainless steel, 75
Steel
the failure models induced by white layers during impact wear, 17
basis of a coating choice methodology in fretting, 47
Stress intensity factor
the relationship between the change in stress intensity factor and wear rate at elevated temperatures for ceramics, 131
numerical analysis of subsurface crack failure beneath the pitch line of a gear tooth during engagement, 141
Strips–contact stress
contact stresses in a moderately thin strip (with particular reference to fretting experiments), 235
Subsurface cracks
numerical analysis of subsurface crack failure beneath the pitch line of a gear tooth during engagement, 141
Superfinishing
experimental investigation of the superfinishing process, 173
Surface coatings
plane strain stress distributions in discrete and blended coated solids under normal and sliding contact, 23
Surface induced voltage
the influence of surface induced voltage on the wear mode of stainless steel, 75
Surfaces
cavitation erosion of laser surface alloyed coatings on Al–12%Si, 59

Temperature and thermal distortion
determination of heat and thermal distortion in braking systems, 159
Thermal ageing
the effect of thermal ageing on the abrasive wear behaviour of age-hardening 2014 Al/SiC and 6061 Al/SiC composites, 125
Third Body
the friction and wear of automotive grey cast iron under dry sliding conditions. Part 2. Friction and wear—particle generation mechanisms and their progress with time, 119
(Ti,Ta)C
tribological behavior of TiC/TaC-reinforced cermet plasma sprayed coatings tested against sapphire, 93
Titanium carbide
tribological behaviour of laser-clad TiC_p composite coating, 167
Titanium carbonitride
dynamic impact wear of TiC_xN_y and Ti–DLC composite coatings, 151
Toughness
the friction and wear of automotive grey cast iron under dry sliding conditions. Part 2. Friction and wear—particle generation mechanisms and their progress with time, 119
Triboemission
triboemission of charged particles and photons from wearing ceramic surfaces in various hydrocarbon gases, 183
Tribological behaviour
tribological behaviour of laser-clad TiC_p composite coating, 167
Tribology
basis of a coating choice methodology in fretting, 47

Wear
the wear mechanisms of acetal in unlubricated rolling–sliding contact, 1
wear mechanism of SiC whisker-reinforced 2024 aluminum alloy matrix composites in oscillating sliding wear tests, 197
Wear mechanisms
wear and wear mechanisms of Al–22%Si/Al_2O_{3f} composite, 189
Wear modes
transitions of microscopic wear mode of silicon carbide coatings by chemical vapor deposition during repeated sliding observed in a scanning electron microscope tribosystem, 9
Wear rate
the relationship between the change in stress intensity factor and wear rate at elevated temperatures for ceramics, 131
Wear resistance
plane strain stress distributions in discrete and blended coated solids under normal and sliding contact, 23
Wear volume
evaluation of fatigue and wear characteristics of M50 steel using synthetic ester turbine engine lubricants—Part 1, 111
White layer
the failure models induced by white layers during impact wear, 17